

SUBMITTAL

TRV- 30




Features:

TRV-30 is a thermostatic radiator valve with a replaceable stainless steel seat and disc for steam and hot water applications.

This series valve contains American Steam Control UNISERT-30, a removable insert, that fails in the "open" position if the thermostatic control is removed or broken off.

With the use of the A.S.C. UNICHANGER, the valve insert may be changed without draining the system or disturbing the piping.

STRAIGHT PATTERN VALVE - DIMENSIONS



SIZE	A	B	C	D
1/2"	1/2"	2 5/16"	3 3/4"	1 1/8"
3/4"	3/4"	2 1/2"	4 3/16"	1 1/8"
1"	1"	3 1/8"	4 5/16"	1 1/8"
1 1/4"	1 1/4"	5 7/8"	3 1/2"	1 1/8"

Specifications

Application Range:

- Max. Temperature: 250° F
- Max. Water Pressure: 150 psig
- Max. Steam Pressure: 15 psig


Materials:

- Valve Body: Brass, Nickel Plated
- Trim: Unisert -30
- Casing: Brass
- Stem: Stainless Steel
- Seat: Stainless Steel
- Disc: Stainless Steel
- O-Ring Seals: EPDM (Nordel) or Viton


*** End Connections: Available with FPT x MPT, FPT x Solder, Solder x Solder (Double Union Only)**

Other Available Body Styles


Horizontal Angle




Vertical Angle



Straight Pattern Double Union



One Pipe Steam



CUSTOMER

PROJECT

ENGINEER

ARCHITECT

PRO/PO #

10/16kw

American Steam Control

Division of Walsh Controls, Inc.

www.americansteamcontrol.com

98 Vanadium Rd., Building D Bridgeville, PA 15017

412-220-9204 1-888-703-3999

Fax: 412-220-9351